

# COMPRESSED AIR FILTER ELEMENTS

## COMPATIBLE FOR ATLAS COPCO (1)

ORIGINAL MODEL NUMBER	AFE MODEL NUMBER GRADE U (DD / DDp)	ORIGINAL MODEL NUMBER	AFE MODEL NUMBER GRADE H (PD)	ORIGINAL MODEL NUMBER	AFE MODEL NUMBER GRADE C (QD)
1202-6255-02	EAC006U-FAAE	1202-6255-01	EAC006H-FAAE	1202-6264-00	EAC006SC-NAAE
1202-6257-02	EAC013U-FAPE	1202-6257-01	EAC013H-FAPE	1202-6281-01	EAC013SC-NAAE
1202-6257-04	EAC025U-FAPE	1202-6257-03	EAC025H-FAPE	1202-6268-01	EAC025SC-NAAE
1202-6259-02	EAC040U-FAPE	1202-6259-01	EAC040H-FAPE	1202-6281-02	EAC040SC-NAAE
-	-	-	-	1202-6268-02	EAC065SC-NAAE
1202-6259-04	EAC085U-FAPE	1202-6259-03	EAC085H-FAPE	1202-6268-03	EAC085SC-NAAE
1202-6262-02	EAC195U-FAPE	1202-6262-01	EAC195H-FAPE	1202-6263-01	EAC195C-NAPE
1202-6262-04	EAC295U-FAPE	1202-6262-03	EAC295H-FAPE	1202-6263-02	EAC295C-NAPE
1202-8537-02	EAC400U-FAPE	1202-8573-01	EAC400H-FAPE	1202-8572-00	EAC400C-NAPE
1202-6273-02	EAC500U-FAPE	1202-6273-01	EAC500H-FAPE	1202-6274-00	EAC500C-NAPE
2901-0190-00	EAC006U-FAAE	2901-0195-00	EAC006H-FAAE	2901-0201-00	EAC006SC-NAAE
2901-0191-00	EAC013U-FAPE	2901-0196-00	EAC013H-FAPE	2901-0202-00	EAC013SC-NAAE
2901-0234-00	EAC025U-FAPE	2901-0233-00	EAC025H-FAPE	2901-0203-00	EAC025SC-NAAE
2901-0192-00	EAC040U-FAPE	2901-0197-00	EAC040H-FAPE	2901-0204-00	EAC040SC-NAAE
-	-	-	-	2901-0235-00	EAC065SC-NAAE
2901-0193-00	EAC085U-FAPE	2901-0198-00	EAC085H-FAPE	2901-0205-00	EAC085SC-NAAE
2901-0194-00	EAC195U-FAPE	2901-0199-00	EAC195H-FAPE	2901-0206-00	EAC195C-NAPE
2901-0322-00	EAC295U-FAPE	2901-0323-00	EAC295H-FAPE	2901-0324-00	EAC295C-NAPE
2906-0212-00	EAC400U-FAPE	2906-0214-00	EAC400H-FAPE	2906-0216-00	EAC400C-NAPE
2906-0213-00	EAC500U-FAPE	2906-0215-00	EAC500H-FAPE	2906-0217-00	EAC500C-NAPE

AFE Filtration Grade	P	U	H	S	C
Compatible To Atlas Copco (1) Filtration Grade	-	DD/DDp	PD	-	QD
Particle Removal Down To	-	1.0 micron	0.01 micron	-	N/A
Oil Removal Down To	-	0.1 mg/m <sup>3</sup>	0.01 mg/m <sup>3</sup>	-	0.003 mg/m <sup>3</sup>
End Caps Material	-	Plastic	Plastic	-	Plastic
Filtration Material	-	Pleated Borosilicate Media	Pleated Borosilicate Media	-	Pleated Carbon Media
O-Ring Material	-	Nitrile	Nitrile	-	Nitrile
Sleeve / Support Material	-	Stainless Steel	Stainless Steel	-	Stainless Steel
Maximum Operating Temperature	-	60°C (140°F)	60°C (140°F)	-	60°C (140°F)
Drainage Layer	-	Foam	Foam	-	None



Airfilter Engineering reserves the right to change specifications and details without prior notice. The brand name mentioned above is for identification purpose only and may be registered trade mark of respective its owner. Airfilter Engineering disclaims any and all right to this trademark. (Rev 0. 190115)



[www.airfilterengineering.com](http://www.airfilterengineering.com)