

COMPRESSED AIR FILTER ELEMENTS

COMPATIBLE FOR DELTECH (2)

ORIGINAL MODEL NUMBER	AFE MODEL NUMBER GRADE P (GF)	AFE MODEL NUMBER GRADE U (DF/PF)	AFE MODEL NUMBER GRADE H (H F)	AFE MODEL NUMBER GRADE S	AFE MODEL NUMBER GRADE C (CF)
9	EDTD9P-NWAE	EDTD9U-FWAE	EDTD9H-FWAE	-	EDTD9C-NWAE
18	EDTD18P-NWAE	EDTD18U-FWAE	EDTD18H-FWAE	-	EDTD18C-NWAE
36	EDTD36P-NAAE	EDTD36U-FAAE	EDTD36H-FAAE	-	EDTD36C-NAAE
54	EDTD54P-NAAE	EDTD54U-FAAE	EDTD54H-FAAE	-	EDTD54C-NAAE
90	EDTD90P-NAAE	EDTD90U-FAAE	EDTD90H-FAAE	-	EDTD90C-NAAE
135	EDTD135P-NAAE	EDTD135U-FAAE	EDTD135H-FAAE	-	EDTD135C-NAAE
216	EDTD216P-NAAE	EDTD216U-FAAE	EDTD216H-FAAE	-	EDTD216C-NAAE
285	EDTD285P-NAAE	EDTD285U-FAAE	EDTD285H-FAAE	-	EDTD285C-NAAE
405	EDTD405P-NAAE	EDTD405U-FAAE	EDTD405H-FAAE	-	EDTD405C-NAAE
540	EDTD540P-NAAE	EDTD540U-FAAE	EDTD540H-FAAE	-	EDTD540C-NAAE
750	EDTD750P-NAAE	EDTD750U-FAAE	EDTD750H-FAAE	-	EDTD750C-NAAE

AFE Filtration Grade	P	U	H	S	C
Compatible To Deltech (2) Filtration Grade	GF	DF/PF	HF	-	CF
Particle Removal Down To	3 micron	1.0 micron	0.01 micron	-	N/A
Oil Removal Down To	N/A	0.1 mg/m ³	0.01 mg/m ³	-	0.003 mg/m ³
End Caps Material	Aluminium	Aluminium	Aluminium	-	Aluminium
Filtration Material	Pleated Cellulose Media	Pleated Borosilicate Media	Pleated Borosilicate Media	-	Pleated Carbon Media
O-Ring Material	Nitrile	Nitrile	Nitrile	-	Nitrile
Sleeve / Support Material	Stainless Steel	Stainless Steel	Stainless Steel	-	Stainless Steel
Maximum Operating Temperature	80°C (176°F)	60°C (140°F)	60°C (140°F)	-	60°C (140°F)
Drainage Layer	None	Foam	Foam	-	None



Airfilter Engineering reserves the right to change specifications and details without prior notice. The brand name mentioned above is for identification purpose only and may be registered trade mark of respective its owner. Airfilter Engineering disclaims any and all right to this trademark. (Rev 0. 190115)

AIRFILTER[®]
ENGINEERING

www.airfilterengineering.com