

# COMPRESSED AIR FILTER ELEMENTS

## COMPATIBLE FOR WORTHINGTON CREYSSENSAC

ORIGINAL MODEL NUMBER	AFE MODEL NUMBER GRADE P	AFE MODEL NUMBER GRADE U (D / M)	AFE MODEL NUMBER GRADE H (S)	AFE MODEL NUMBER GRADE S	AFE MODEL NUMBER GRADE C (A)
60*	-	EWC0060U-FAAE	EWC0060H-FAAE	-	EWC0060C-NAAE
80*	-	EWC0080U-FAAE	EWC0080H-FAAE	-	EWC0080C-NAAE
120*	-	EWC0120U-FAAE	EWC0120H-FAAE	-	EWC0120C-NAAE
200*	-	EWC0200U-FAAE	EWC0200H-FAAE	-	EWC0200C-NAAE
340*	-	EWC0340U-FAAE	EWC0340H-FAAE	-	EWC0340C-NAAE
510*	-	EWC0510U-FAAE	EWC0510H-FAAE	-	EWC0510C-NAAE
800*	-	EWC0800U-FAAE	EWC0800H-FAAE	-	EWC0800C-NAAE
1000*	-	EWC1000U-FAAE	EWC1000H-FAAE	-	EWC1000C-NAAE
1500*	-	EWC1500U-FAAE	EWC1500H-FAAE	-	EWC1500C-NAAE
2400*	-	EWC2400U-FAAE	EWC2400H-FAAE	-	EWC2400C-NAAE

AFE Filtration Grade	P	U	H	S	C
Compatible To Worthington Grade	-	D / M	S	-	A
Particle Removal Down To	-	1.0 micron	0.01 micron	-	N/A
Oil Removal Down To	-	0.1 mg/m <sup>3</sup>	0.01 mg/m <sup>3</sup>	-	0.003 mg/m <sup>3</sup>
End Caps Material	-	Aluminium	Aluminium	-	Aluminium
Filtration Material	-	Pleated Borosilicate Media	Pleated Borosilicate Media	-	Pleated Carbon Media
O-Ring Material	-	Nitrile	Nitrile	-	Nitrile
Sleeve / Support Material	-	Stainless Steel	Stainless Steel	-	Stainless Steel
Maximum Operating Temperature	-	60°C (140°F)	60°C (140°F)	-	60°C (140°F)
Drainage Layer	-	Foam	Foam	-	None



Airfilter Engineering reserves the right to change specifications and details without prior notice. The brand name mentioned above is for identification purpose only and may be registered trade mark of respective its owner. Airfilter Engineering disclaims any and all right to this trademark. (Rev 0. 190115)

**AIRFILTER<sup>®</sup>**  
**ENGINEERING**

[www.airfilterengineering.com](http://www.airfilterengineering.com)