

# COMPRESSED AIR FILTER ELEMENTS

## COMPATIBLE FOR ZANDER – GL SERIES (2)

ORIGINAL MODEL NUMBER (CP)	AFE MODEL NUMBER GRADE P (VL)	AFE MODEL NUMBER GRADE U (ZL)	AFE MODEL NUMBER GRADE H (XL)	AFE MODEL NUMBER GRADE S	AFE MODEL NUMBER GRADE C (A)
1008*	EZE1008P-NAPE	EZE1008U-WAPE	EZE1008H-WAPE	-	EZE1008C-NAPE
2010*	EZE2010P-NAPE	EZE2010U-WAPE	EZE2010H-WAPE	-	EZE2010C-NAPE
2020*	EZE2020P-NAPE	EZE2020U-WAPE	EZE2020H-WAPE	-	EZE2020C-NAPE
3025*	EZE3025P-NAPE	EZE3025U-WAPE	EZE3025H-WAPE	-	EZE3025C-NAPE
3040*	EZE3040P-NAPE	EZE3040U-WAPE	EZE3040H-WAPE	-	EZE3040C-NAPE
4040*	EZE4040P-NAPE	EZE4040U-WAPE	EZE4040H-WAPE	-	EZE4040C-NAPE
4050*	EZE4050P-NAPE	EZE4050U-WAPE	EZE4050H-WAPE	-	EZE4050C-NAPE
4065*	EZE4065P-NAPE	EZE4065U-WAPE	EZE4065H-WAPE	-	EZE4065C-NAPE
5065*	EZE5065P-NAPE	EZE5065U-WAPE	EZE5065H-WAPE	-	EZE5065C-NAPE
5080*	EZE5080P-NAPE	EZE5080U-WAPE	EZE5080H-WAPE	-	EZE5080C-NAPE

AFE Filtration Grade	P	U	H	S	C
Compatible To Zander (2) Filtration Grade	VL	ZL	XL	-	A
Particle Removal Down To	3 micron	1.0 micron	0.01 micron	-	N/A
Oil Removal Down To	N/A	0.1 mg/m <sup>3</sup>	0.01 mg/m <sup>3</sup>	-	0.003 mg/m <sup>3</sup>
End Caps Material	Plastic	Plastic	Plastic	-	Plastic
Filtration Material	Pleated Cellulose Media	Pleated Borosilicate Media	Pleated Borosilicate Media	-	Pleated Carbon Media
O-Ring Material	Nitrile	Nitrile	Nitrile	-	Nitrile
Sleeve / Support Material	Stainless Steel	Stainless Steel	Stainless Steel	-	Stainless Steel
Maximum Operating Temperature	80°C (176°F)	80°C (176°F)	80°C (176°F)	-	60°C (140°F)
Drainage Layer	None	Needle Felt	Needle Felt	-	None



Airfilter Engineering reserves the right to change specifications and details without prior notice. The brand name mentioned above is for identification purpose only and may be registered trade mark of respective its owner. Airfilter Engineering disclaims any and all right to this trademark. (Rev 0. 190115)

**AIRFILTER<sup>®</sup>**  
**ENGINEERING**

[www.airfilterengineering.com](http://www.airfilterengineering.com)