

# COMPRESSED AIR FILTER ELEMENTS

## COMPATIBLE FOR BOGE (2)

ORIGINAL MODEL NUMBER (CP)	AFE MODEL NUMBER GRADE P	AFE MODEL NUMBER GRADE U (FP)	AFE MODEL NUMBER GRADE H (FM)	AFE MODEL NUMBER GRADE S	AFE MODEL NUMBER GRADE C (FA)
6	-	EBGE006U-WAPE	EBGE006H-WAPE	-	EBGE006C-NAPE
9, 12	-	EBGE009U-WAPE	EBGE009H-WAPE	-	EBGE009C-NAPE
18	-	EBGE018U-WAPE	EBGE018H-WAPE	-	EBGE018C-NAPE
36	-	EBGE036U-WAPE	EBGE036H-WAPE	-	EBGE036C-NAPE
65	-	EBGE065U-WAPE	EBGE065H-WAPE	-	EBGE065C-NAPE
95	-	EBGE095U-WAPE	EBGE095H-WAPE	-	EBGE095C-NAPE
130	-	EBGE130U-WAPE	EBGE130H-WAPE	-	EBGE130C-NAPE
190	-	EBGE190U-WAPE	EBGE190H-WAPE	-	EBGE190C-NAPE
260	-	EBGE260U-WAPE	EBGE260H-WAPE	-	EBGE260C-NAPE
380	-	EBGE380U-WAPE	EBGE380H-WAPE	-	EBGE380C-NAPE

AFE Filtration Grade	P	U	H	S	C
Compatible To Boge (2) Filtration Grade	-	FP	FM	-	FA
Particle Removal Down To	-	1.0 micron	0.01 micron	-	N/A
Oil Removal Down To	-	0.1 mg/m <sup>3</sup>	0.01 mg/m <sup>3</sup>	-	0.003 mg/m <sup>3</sup>
End Caps Material	-	Plastic	Plastic	-	Plastic
Filtration Material	-	Pleated Borosilicate Media	Pleated Borosilicate Media	-	Pleated Carbon Media
O-Ring Material	-	Nitrile	Nitrile	-	Nitrile
Sleeve / Support Material	-	Stainless Steel	Stainless Steel	-	Stainless Steel
Maximum Operating Temperature	-	80°C (176°F)	80°C (176°F)	-	60°C (140°F)
Drainage Layer	-	Needlefelt	Needlefelt	-	None



Airfilter Engineering reserves the right to change specifications and details without prior notice. The brand name mentioned above is for identification purpose only and may be registered trade mark of respective its owner. Airfilter Engineering disclaims any and all right to this trademark. (Rev 0. 190115)

**AIRFILTER<sup>®</sup>**  
**ENGINEERING**

[www.airfilterengineering.com](http://www.airfilterengineering.com)